Examiner	Lin		Date Considered	08	/16	106		pdated
raminer: Initial il ref	erence considered wh	ether or not citation is in conformance with M	IPEP 609: Oraw line through citat	ion it not in co	nioman	r se and not considered.	. Include	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw tine through citation it not in conformance and not considered. Include copy of this form with next communication to application.

02/16/07

930849

Examiner	6	Date Considered	08/	16/06
CAGIIII II II	im _			

Examiner: Initial II reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application. 02 /16/07 930849

Sherwood et al., 1985, "Purification and Properties of Carboxypeptidase G2 Pseudomonas sp strain RS-16,"

European Journal of Biochemistry, Vol. 148, pp. 447-453.

des

bp. 3-9.

Sheet 3	of 3		UT15 Reg'd PCT/PTO 0 2 MAR 200.
INFORMATION DISCLOSUF CITATION		ATTY. DOCKET NO.	unknown - U.S. 371 of
		620-358	unknown - U.S. 371 of PCT/GB2003/003736
		APPLICANT	
		SPRINGER et al.	· · · · · · · · · · · · · · · · · · ·
(Use seve	eral sheets if necessary)	FILING DATE	TC/A.U.
		March 2, 2005	unknown
m.	subcellular localization o Cancer Gene Therapy, V Springer and Niculescu-I	f the activating enzyme is more i ol. 7, pp. 1348-1356.	, C. J., 2000, "In suicide gene therapy, the site of mportant than the rate at which it activates prodrug Enzyme Prodrug Therpay (ADEPT) with mustard 2.

mi	Cancer Gene Therapy, Vol. 7, pp. 1348-1356.
	Springer and Niculescu-Duvaz, 1995, "Antibody-Directed Enzyme Prodrug Therpay (ADEPT) with mustard
din	prodrugs." Anti-Cancer Drug Design, Vol. 10, pp. 361-362.
	Springer and Niculescu-Duvaz, 1999, "Patent Property of Prodrugs Involving Suicide Gene Therapy," Expert
m	Opinion on Therapeutic Patents, Vol. 9, pp. 1381-1388.
£.,	Springer and Niculescu-Duvaz, 2000, "Prodrug-activating systems in suicide gene therapy", The Journal of
Mr.	Clinical Investigation, Vol. 105, pp. 1161-1167.
1	Springer et al., 1990a, "Novel Prodrugs Which Are Activated to Cytotoxic Alkylating Agents by
m	Carboxypeptidase G2," Journal of Medicinal Chemistry, Vol. 33, pp. 677-681.
7;	Springer et al., 1994, "Novel Prodrugs of Alkylating Agents Derived from 2-Fluoro- and 3-Fluorobenzoic Acids
m	for Antibody-Directed Enzyme Prodrug Therapy", Journal of Medicinal Chemistry, Vol. 37, pp. 2361-2370.
Δ.	Springer et al., 1995a, "The Design of Prodrugs for Antibody Directed Enzyme Prodrug Therapy (ADEPT)," in
Mi.	New Antibody Technologies and the Emergence of Useful Cancer Therapy, Begent, R., Hamlin, A., editors
	(The Royal Society of Medicine Press: London), pp. 75-77.
ار ما	Springer et al., 1995b, "Optimization of Alkylating Prodrugs Derived from Phenol and Aniline Mustards: A New
m	Clinical Candidate Prodrug (ZD2767) for ADEPT, Journal of Medicinal Chemistry, Vol. 38, pp. 5051-5065.
200	Wakselman, 1983, "1,4 and 1,6 Eliminations from Hydroxy- and Amino-Substituted Benzyl Systems: Chemical
M.	and Biochemical Applications," Nouveau Journal de Chemie, Vol. 7, pp. 439-447.
Missel	Zhang et al., 1995, "Advances in Cancer Gene Therapy," Advances in Pharmacology, Vol. 12, pp. 289-341.
Lis	International Search Report of PCT/GB03/03736
7.	

\*Examiner: Initial if reference considered, whether or not gration is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

02/16/67 930849

Lalither Nagubandi